

14

1 2

CLAIMS

AG	7
ν λ .	1
\mathcal{M}	2
	3
	2 3 4
	5
	5 6
	7 8
	8
	9
	10
	11
١Ø	12
17	13

What is claimed is:

A cellular telephone comprising:

a paper substrate

- a printed circuit patterned on the paper substrate;
- a switch electrically coupled to the circuit;
- an input diaphragm electrically coupled to the circuit, said input diaphragm being attached to the paper substrate in such a manner that allows the input diaphragm to vibrate relative thereto;
- an output diaphragm electrically coupled to the circuit, said output diaphragm being attached to the paper substrate in such a manner that allows the output diaphragm to vibrate relative thereto; and
- a battery electrically coupled to the circuit and formed in the paper substrate, said switch being activated to cause the cellular telephone to call a predetermined number.
- 2. The cellular telephone according to claim 1 wherein the paper substrate has a length of about 3.5 inches and a width of about 2 inches.
- 1 3. The cellular telephone according to claim 1 wherein the paper substrate 2 is a business card including writing thereon.
- 1 4. The cellular telephone according to claim 1 further comprising a filament 2 antenna, said filament antenna being formed in an edge of the paper substrate.
- 5. The cellular telephone according to claim 4 wherein the antenna includes a nub at one end, said nub being operable to extract the antenna from the substrate.
- 1 6. The cellular telephone according to claim 1 wherein the switch is a slidable switch.

4

5

6

7

8

9

10

11

12

13

14

15

16

17

- 7. The cellular telephone according to claim 1 wherein the input diaphragm and the output diaphragm are both paper diaphragms.
- 1 8. The cellular telephone according to claim 1 wherein the battery is made 2 from paper technologies.
- 1 9. The cellular telephone according to claim 1 wherein the circuit is patterned on the substrate with a conductive ink.
- 1 10. A paper business card comprising:
- 2 a paper substrate having a front surface layer and a back surface layer, 3 said paper substrate including writing on the front layer;
 - a printed circuit patterned on the paper substrate;
 - a switch electrically coupled to the circuit;
 - a paper microphone diaphragm electrically coupled to the circuit, said microphone diaphragm being attached to the paper substrate in such a manner that allows the microphone diaphragm to vibrate relative thereto;
 - a paper speaker diaphragm electrically coupled to the circuit, said speaker diaphragm being attached to the paper substrate in such a manner that allows the speaker diaphragm to vibrate relative thereto; and
 - a battery electrically coupled to the circuit and formed in the paper substrate, said battery being made from paper technologies, said switch being activated to cause the cellular telephone to call a predetermined number.
- 1 11. The card according to claim 10 further comprising a filament antenna, 2 said filament antenna being formed in an edge of the paper substrate.
- 1 12. The card according to claim 11 wherein the antenna includes a nub at one end, said nub being operable to extract the antenna from the substrate.
- 1 13. The card according to claim 10 wherein the switch is a slidable switch.

3

5

6

7

8



- 1 14. The card according to claim 10 wherein the circuit is patterned on the substrate with a conductive ink.
- 1 15. The card according to gaim 10 wherein the paper substrate has a length of about 3.5 inches and a width of about 2 inches.
- 1 16. The card according to claim 10 wherein the switch is formed on the front
- 2 layer and the microphone and speaker diaphragms are formed on the back
- 3 layer.
- 1 17. A method of making a disposable cellular telephone, comprising:
- 2 providing a paper substrate;
 - patterning a circuit on the substrate;
 - attaching a paper input diaphragm to the substrate in a manner that allows the input diaphragm to vibrate relative thereto;
 - attaching a paper output diaphragm to the substrate in a manner that allows the output diaphragm to vibrate relative thereto; and forming a pattery within the substrate.
- 1 18. The method according to claim 17 wherein the circuit is patterned on the substrate with a conductive ink.
- 1 19. The method according to claim 17 wherein the paper substrate is a business card having writing thereon.
- 1 20. The method according to claim 17 further comprising attaching a filament 2 antenna to the substrate.